Ref #	Hits	Search Query	DBs	Default Operato	Plural	Time Stamp
п				r		
L4	2	"20030018764".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 16:22
L5	1	L4 and medium same carrier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 17:18
L9		<pre>(rout\$3 same (config\$7 setting value) same (request statement command) same (query\$3 inquir\$3 interrogat\$3) same (agent component object)).clm.</pre>	US-PGPUB	OR	ON	2006/06/02 17:23
L10	5	<pre>(rout\$3 same (config\$7 setting value) same (request statement command document) same (query\$3 inquir\$3 interrogat\$3) same (agent component object)).clm.</pre>	US-PGPUB	OR	ON	2006/06/02 17:39
L11	11	<pre>(rout\$3 same (config\$7 setting value) same (request statement command document) same (query\$3 inquir\$3 interrogat\$3) same (agent component object module)).clm.</pre>	US-PGPUB	OR	ON	2006/06/02 17:40
L12	6	11 not 10	US-PGPUB	OR	ON	2006/06/02 17:39
L14	2	(rout\$3 same (config\$7 setting value) same (request statement command document) same (query\$3 inquir\$3 interrogat\$3) same (agent component object module)) and (455/403 719/315). ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 17:41
L15	4	(rout\$3 same (config\$7 setting value) same (request statement command document) same (query\$3 inquir\$3 interrogat\$3) same (agent component object module)) and (709/202).ccls.	US-PGPUB	OR	ON	2006/06/02 17:46

L16	9	(rout\$3 same (config\$7 setting value) same (request statement command document) same (query\$3 inquir\$3 interrogat\$3) same (agent component object module)) and (709/202).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 17:46
L17	7	16 and (@rlad<"20010629" @ad<"20010629" @pd<"20010629")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 17:46
S1	2	"20030018764".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 15:07
S2	1	S1 and query adj document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 16:10
S3	1	S1 and query adj statement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 15:13
S4	2	S1 and router	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/05/17 15:14
S5	1	S1 and push adj router	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 15:20
S6	3	<pre>(mobile portable hand\$1held) same (query\$3 inquir\$3 interrogat\$3) same (xml) with document with (statement tag)</pre>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 19:07

			T		r	
S7	334	<pre>(mobile portable hand\$1held) same (query\$3 inquir\$3 interrogat\$3) and document with (statement tag)</pre>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 15:35
\$8	426	<pre>(mobile portable hand\$1held) same (query\$3 inquir\$3 interrogat\$3) and (xml document) with (statement tag)</pre>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 15:36
S9	190	S8 and (@rlad<"20010629" @pd<"20010629")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 17:20
S10	71	<pre>(mobile portable hand\$1held) same (query\$3 inquir\$3 interrogat\$3) and (xml document) same (statement tag) with (config\$7 setting value)</pre>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 18:08
S11	26	S10 and (@rlad<"20010629" @pd<"20010629")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 15:47
S12	12961	<pre>(wap "wireless application provisioning")</pre>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 15:47
S13	198	<pre>(wap "wireless application protocol") with provision\$3</pre>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 16:13
S14	34	S13 and (@rlad<"20010629" @pd<"20010629")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 15:47

					т	
S15	0	S11 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 15:47
S16	60	S11 S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 15:47
S17	1	S1 and "configuration service provider component"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ОИ	2006/05/17 16:11
S18	1	S1 and configuration with component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 16:11
S19	32	S16 and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 16:23
S20	8	("6490616" "6587450" "661 5255" "6721558").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 16:27
S21	24	("20010049263" "200200074 07" "20020080091" "200201 23373" "5703948" "6003075 " "6424639" "6598106" "66 11498" "6725370" "6775559 " "6775559" "6966034").	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 16:27
S23	0	("6721558").URPN.	USPAT	OR	ON	2006/05/17 16:27
S24	3	("5786998" "5878209" "5929848").PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2006/05/17 18:01

				T		
S25	12	("20010049263" "200200074 07" "20020080091" "200201 23373" "5703948" "6003075 " "6424639" "6598106" "66 11498" "6725370" "6775559 " "6775559" "6966034"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/17 18:03
S26	8	("5276729" "5878036" "5974322" "6115611" "6178337" "6249681" "6259908").PN. OR ("6775559").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2006/05/17 18:05
S27	2332	(mobile portable hand\$1held) same (query\$3 inquir\$3 interrogat\$3) same (config\$7 setting value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 10:14
S28	620	<pre>(mobile portable hand\$1held) with (query\$3 inquir\$3 interrogat\$3) with(config\$7 setting value)</pre>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 18:09
S29	620	(mobile portable hand\$1held) with (query\$3 inquir\$3 interrogat\$3) with (config\$7 setting value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 17:45
S30	195	S29 and (@rlad<"20010629" @pd<"20010629")	US-PGPUB; USPAT; USOCR; EPO;	OR	ON	2006/05/17 18:13
		*	JPO; DERWENT; IBM_TDB			
S31	80	<pre>(mobile portable hand\$1held) with (query\$3 inquir\$3 interrogat\$3) with (config\$7 setting value) same (document statement tag directive)</pre>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 18:14
S32	14	S31 and (@rlad<"20010629" @pd<"20010629")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 18:14

S33	372	<pre>(mobile portable hand\$1held) same (query\$3 inquir\$3 interrogat\$3) same (config\$7 setting value) and (query\$3 inquir\$3 interrogat\$3) same (document statement tag directive)</pre>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 18:14
S34	130	S33 and (@rlad<"20010629" @pd<"20010629")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 18:15
S35	2	"20030018764".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 09:50
S36	1	S35 and computer\$1readable adj medium	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 09:51
S37	2	S35 and medium	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 16:22
S38	199	<pre>(wap "wireless application protocol") with provision\$3</pre>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 10:03
S39	34	S38 and (@rlad<"20010629" @pd<"20010629")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 10:13
S40	194	configuration adj service adj provider	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 10:13

S41	58	S40 and (@rlad<"20010629" @pd<"20010629")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18
S42	11	S41 and (query\$3 inquir\$3 interrogat\$3) same (config\$7 setting value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 10:14
S43	2	"6721558".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:46
S44	2	"6826762".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:48
S45	4	shell-scott\$.in. and query adj document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:48
S46	2	shell-scott\$.in. and (query adj document).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:49
S47	4	shell-scott\$.in. and (query adj statement). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 14:49
S48	1	(US-20030018764-\$).did.	US-PGPUB	OR	ON	2006/05/27 18:56
S49	1	S48 and query adj document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 18:57

S50	1	S48 and "configuration service provider" with component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27
S51	1	S48 and "configuration service provider"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 18:58
S52	602	(mobile portable hand\$1held pda phone) with (query\$3 inquir\$3 interrogat\$3) with (setting hardware config\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 19:08
S53	429	<pre>(mobile portable hand\$1held) same (query\$3 inquir\$3 interrogat\$3) and (xml document) with (statement tag)</pre>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 19:08
S54	236	S53 and (@rlad<"20010629" @ad<"20010629" @pd<"20010629")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 17:47
S55	602	S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR -	ON	2006/05/27 19:08
S56	281	S52 and (@rlad<"20010629" @ad<"20010629" @pd<"20010629")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 19:10
S57	6	S52 and (@rlad="20010629" @ad="20010629" @pd="20010629")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 19:10

		T		· -	1	
S59	18	S56 and (pars\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27
S60	39	("5274824" "5838918" "602 3620" "6026293" "6088457" "6148342" "6161139" "622 3028" "6259908" "6301484" "6393270" "6480963" "649 6936" "6584376" "6741851" "6788959" "6912256" "691 5426" "6978381") . PN .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/27 19:17
S61	19	("5274824" "5838918" "602 3620" "6026293" "6088457" "6148342" "6161139" "622 3028" "6259908" "6301484" "6393270" "6480963" "649 6936" "6584376" "6741851" "6788959" "6912256" "691 5426" "6978381") . PN .	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/27 19:17
S62	21	("6023620").URPN.	USPAT	OR	ON	2006/05/27 19:18
S63	20	("5282250" "5794142" "5950130" "5956636" "5978685" "5987323" "6014561" "6023620" "6029065" "6055442"). PN. OR ("6301484").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2006/05/27 19:19
S64	85	("5046082" "5276729" "5351235" "5371782" "5404580" "5479476" "5485405" "5577103" "5588042" "5603084"). PN. OR ("5794142").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2006/05/27 19:20
S65		("5297192" "5301223" "5794142" "5819178" "5854978" "5881235" "5987254" "5943425" "6006091" "6014561" "6029065" "6047071" "6104924"). PN. OR ("6223028").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2006/05/27 19:26
S66	25	("5020092" "5020093" "5129097" "5228053" "5228074" "5309474" "5412375" "5519706" "5548586" "5621784" "5629975" "5765109" "5768267").PN. OR ("6006091").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/27 19:28
S67	7	("5915225" "6269244" "6301484" "6363249"). PN. OR ("6615038").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2006/05/27 19:40

	T		1			
S68	41	("20010051519"	US-PGPUB	OR	ON	2006/05/27
		"20020026634"	; USPAT;		1	19:47
		"20020065041"	USOCR			
		"20020072359"				•
]		"20030060189" "5046082"	ļ			
		"5337255" "5400389"				
1		"5481706" "5507009"		Ì		
		"5600823" "5673317"				
	1	"5699275" "5715462"				
		"5734904" "5771386"	Į			
		"5784537" "5790856"]		
		"5835778" "5920826"				[
		"5930704" "5938766"				
		"5960356" "5974312"				
		"6018543" "6023620"				.
		!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!				
		"6138009" "6138153"				
		"6247065"			1	
		"6275694"		[1	
		"6457174" "6460070"			1	
		"6498789" "6549770"			1	
		"6622017" "6633759"				
		"6643506" "6754894"				
		"6785541").PN. OR				
		("6918108").URPN.				
S69	2	("6049712" "6144849").	US-PGPUB	OR	ON	2006/05/27
505	-	PN. OR ("6999781").URPN.	; USPAT;			20:03
		The or (opposed) token.	USOCR USOCR			
		•	JJJJJCR			
S70	26	(US-20020144151-\$ or	US-PGPUB	OR	ON	2006/06/01
		US-20030108039-\$ or	; USPAT			15:46
ĺ		US-20050136908-\$ or				
		US-20030018764-\$ or				
		US-20050190764-\$ or				
		US-20020123373-\$).did. or				
		(US-6934702-\$ or				
		US-6978132-\$ or				
		US-6754470-\$ or				
		US-6640097-\$ or				
		US-6721558-\$ or				
	ļ	US-6775559-\$ or				
	İ	US-6301484-\$ or				
		US-5794142-\$ or				
		US-5046082-\$ or				
		US-6023620-\$ or				
		• • • • • • • • • • • • • • • • • • • •				
		US-6029065-\$ or				.
		US-6223028-\$ or				
		US-6006091-\$ or				
	ļ	US-6549771-\$ or	ı			
		US-6597921-\$ or				
j		US-6047071-\$ or				
		US-7043263-\$ or				
		US-6615038-\$ or				
		US-6918108-\$ or				
		US-6999781-\$).did.				
	i	US-6999781-\$).did.				

		Τ.		Г	r	
S71	9	(US-6301484-\$ or US-5794142-\$ or US-6029065-\$ or US-6223028-\$ or US-6006091-\$ or US-6549771-\$ or US-6615038-\$ or US-6918108-\$ or US-6999781-\$).did.	USPAT	OR	ON	2006/06/01 16:19
S73	1	S71 and pars\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:40
S83	2	"6000000".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:47
S84	3794	(object agent module) with (query\$3 inquir\$3 interrogat\$3) with (config\$7 setting value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 17:46
S85	1149	(objects! agents! modules!) with (query\$3 inquir\$3 interrogat\$3) with (config\$7 setting value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 17:48
S86	737	S85 and (@rlad<"20010629" @ad<"20010629" @pd<"20010629")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 17:46
S87	632	<pre>(mobile portable hand\$1held) with (query\$3 inquir\$3 interrogat\$3) with (config\$7 setting value)</pre>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 17:48
S88	730	S86 not S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 17:48

			_			
S89	7	S86 and S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 17:48
S90	324	(mobile portable hand\$1held pda phone) and \$86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 17:53
S91	62	S90 and (pars\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 17:51
S92	262	S90 not S91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 18:00
S93	1	(US-6128509-\$).did.	USPAT	OR	ON	2006/06/01 18:00
S94	1	S93 and config\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 18:12
S95	1	S93 and request near message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 18:18
S96	22	("5276680" "5297142" "5450472" "5479479" "5526489" "5568536" "5727057" "5835862" "5870680" "5884190" "6021331").PN. OR ("6128509").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/01 18:15
S97	1	S93 and query\$32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 18:18

						<u> </u>
S98	1	S93 and query\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01
S99	1	S93 and (message same (break\$3 pars\$3 determin\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 18:28
S10 0	1	S93 and pipe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 18:28
S10 1	1	(US-20030018764-\$).did.	US-PGPUB	OR	ON	2006/06/01 18:48
S10 2	1	S101 and retriev\$3 with value with setting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 18:48
S10 3	1	(US-6128509-\$).did.	USPAT	OR	ON	2006/06/02 13:48
S10 4	1	S103 and router	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:03
S10 5	1	S103 and manager	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:15
S10 6	0	S103 and "41A" same "40"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:50

S10 7	1	S103 and config\$7 s message	same US-PGPUB; USPAT;	OR	ON	2006/06/02 14:50
		-	USOCR;			
			EPO;			
			JPO;			
			DERWENT;			
			IBM_TDB			